

# Connect to Starlink

---

<<<<< Welcome to the Access Point >>>>>

~ # enet1 port3 down

ATHR\_GMAC:unit 1: phy 3 not up carrier 1

ADDRCONF(NETDEV\_UP): eth1: link is not ready

ADDRCONF(NETDEV\_UP): eth2: link is not ready

enet1 port3 up

ATHR\_GMAC: Enet Unit:1 PHY:3 is UP RGMii 100Mbps full duplex

ADDRCONF(NETDEV\_CHANGE): eth1: link becomes ready

# Connect to ADSL

---

<<<<< Welcome to the Access Point >>>>>

~ # enet1 port3 down

ATHR\_GMAC:unit 1: phy 3 not up carrier 1

ADDRCONF(NETDEV\_UP): eth1: link is not ready

ADDRCONF(NETDEV\_UP): eth2: link is not ready

enet1 port3 up

ATHR\_GMAC: Enet Unit:1 PHY:3 is UP RGMii 100Mbps full duplex

ADDRCONF(NETDEV\_CHANGE): eth1: link becomes ready

enet1 port3 down

ATHR\_GMAC:unit 1: phy 3 not up carrier 1

ADDRCONF(NETDEV\_UP): eth1: link is not ready

enet1 port3 up

ATHR\_GMAC: Enet Unit:1 PHY:3 is UP RGMii 100Mbps full duplex

ADDRCONF(NETDEV\_CHANGE): eth1: link becomes ready